

Fast Ethernet 8 Ports Switch



GS-118P **200Mbps Full Duplex Transmission**

GetNet GS-118P is a high speed fast Ethernet switch for home and small business. GS-118P not only complies with IEEE 802.3/802.3u 10/100Mbps Ethernet standard but also supports full duplex transmission. The full duplex feature can double the network throughput on every port. It is used for high speed server or switch-to-switch connections. The maximum throughput of every port can reach up to 200Mbps.

Supports **Wire-speed and Flow Control**

The GetNet GS-118P built-in non-blocking and store-and-forward architecture feature your network with full-wire speed connections. It accommodates with flow control for full duplex mode and back pressure for half-duplex mode which ensure reliable data transfer and help to prevent data lost. Use GS-118P to create a high-speeds network and benefit from it's ultimate performance and reliability.

Supports **Auto-MDI/MDI-X and Auto Sensing**

GS-118P supports PnP (plug and play) installation and auto-MDI/MDI-X function. You can connect GS-118P with computers or Ethernet devices without any configuration. You also can use either straight-through or cross-over Ethernet cable and combine 10 and 100Mbps devices into GS-118P. The switch will automatically detect the right cable and speed for your device.

Power Saving

With new generation power saving mode, GS-118P can reduce power consumption. It is the best solution for home and small business.



Specifications

HARDWARE INTERFACE

- 8 x RJ-45 Fast Ethernet LAN Ports
- LED Indicators: Power, LNK/ACT for LAN
- Power

FUNCTIONS

- Non-Blocking
- Store-and-Forward architecture
- Auto-MDI/MDI-X and auto learning
- Auto-negotiation

POWER ADAPTER

- DC 9V, 0.5A
- 12V, 0.5A(forEU)

STANDARD

- IEEE802.3 and IEEE802.3u
- IEEE802.3x

HUMIDITY & TEMPERATURE

- 10-95% (Non-condensing)
- 0~45 Degree Celsius

MEMORY BUFFER

- 448K bits

MAC Address

- 2K

DIMENSION

- 160 x 82 x 25 mm

CERTIFICATIONS

- CE, FCC
-